Monday, 2/4/2008 11:23:19 AM Date: Liser: Kim Johnston **Process Sheet** : LUG ASSEMBLY : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number **Estimate Number** : 10012 : D27363 **Part Number** P.O. Number S.O. No. : **Drawing Number** : D2736 REVA : 2/4/2008 This Issue : N/A : NC Project Number Prsht Rev. : A : LARGE FAB ASSY : // **Drawing Revision** First Issue Type : 35064 Material Previous Run Each **Due Date** : 2/25/2008 Qty: 40 Um: Written By Checked & Approved By : Est Rev:D Removed from 9 digit 05-10-25 JLM Comment **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: D2591 1.0 Lug Comment: Qty.: 1.0000 Each(s)/Unit Total: 40.0000 Each(s) Pick: Qty Part Number Description 1 D2591 Lug 2.0 D27353 Lug Bracket Comment: Qty.: 1.0000 Each(s)/Unit Total: 40.0000 Each(s) Pick: Qty Part Number Description 235434 Lug Bracket D2735-3 LARGE FABRICATION RESOURCE 1 3.0 LARGE FAB Comment: LARGE FABRICATION RESOURCE 1 Weld D2591 & D2735-1 as per QSI 004 and Dwg D2736 using locating Jig DT8484 Steel Rod Batch: M 100377 QC9 VISUAL WELDING INSPECTION 4.0 Comment: VISUAL WELDING INSPECTION 08-02-07 INSPECT WORK TO CURRENT STEP 5.0 QC5 Comment: INSPECT WORK TO CURRENT STEP

Dart Aerospace Ltd

W/O:			WC	RK ORDER CHANG	ES				
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	jory:	_ NCR: Yes	No DQ	A :	_ Date: _	
					QA: N	/C Close	d:	_ Date: _	
NCR:			WORK ORDE	ER NON-CONFORM	ANCE (NCR	4)			
DATE	STEP	Description of NC		, , , , , , , , , , , , , , , , , , , 	ion B	Verific		Approval	Approval
DAIL	J.L.	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti	on C	Chief Eng	QC Inspector
		,							
								:	
		•						•	

NOTE: Date & initial all entries

	onday, 2/4/2008 11 m Johnston	1:23:19 AM	Process Sh	aat		
¥ Customer	r: CU-DAR001 Da	art Helicopters Services		ng Name: LUG ASSEN	MBLY .	
ا Job Number	2715 <i>/</i> I		Par	Number: D27363		
Job Number:	37104		1 47	, (Valido) : 22 - 333		
Seq. #:	Machine Or O	peration:		Description :		
6.0	HAND FINISHIN	G1	HAND FINISHING F			α
	Powder Coa	SHING RESOURCE #1 at White (Ref: 4.3.5.2) as	per QSI 005 4.3	FX	08/02	107 (40)
7.0	dc3		Al Sk	COAT/CHEMICAL CONV		
Comm 8.0	PACKAGING 1	OWDER COAT/CHEMIC	AL CONVERSION \(\int \) PACKAGING RESO		2-07	<u> </u>
						· .
Comm	nent: PACKAGIN Identify and	G RESOURCE #1		10	./ 1	
	Location:	ST47	CINIAL INICIDENTION	HANG DEL ACE	08/02/11	<u> </u>
9.0	QC21		FINAL INSPECTION	//W/O RELEASE		8.02.13
Comm	nent: FINAL INSF	PECTION/W/O RELEASE				
Job Completion				2008/2/11	(40)	
				(\ /	,	
						,
:						
						÷


Dart Ae	rospace	Ltd	WORK ORDER CHANGES PROCEDURE CHANGE By Date Qty Approval Chief Eng / Prod Mgr. Approval Chief Eng Date: WORK ORDER NON-CONFORMANCE (NCR) FINC Corrective Action Section B Sign & Date Section C Section C Chief Eng Approval Chief Eng Chie					
W/O:			WC	ORK ORDER CHANGES				
DATE	STEP	PRO	PROCEDURE CHANGE By Date Qty Chief Eng / Approval					
Part No		PAR #:	Fault Cate	gory: N	NCR: Yes	No DQA:_	Date: _	
					QA: N/	C Closed: _	Date: _	
NCR:			WORK ORDI	ER NON-CONFORMAN	CE (NCR)		
		Description of NC		Corrective Action Section E		Verification	on Approval	Annroval
DATE	STEP	Section A						
								-

NOTE: Date & initial all entries







DESIGN	108	DRAWN BY	DART AEROSPACE VICTORIA INTERNATIONAL AIRPORT,	
CHECK	ξĎ	APPROVED	DRAWING NO.	REV. A
 	E	14	D2736	SHEET 1 OF 1
DATE			TITLE	SCALE
97.1	2.18	·	LUG ASSEMBLY	NTS
Α		97.12.18	NEW ISSUE	



D2736-1 LUG ASSEMBLY



D2736-3 LUG ASSEMBLY



NOTES:

WELD PER DART QSI 004

FINISH: POWDER COAT WHITE PER DART QSI 005 4.3

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

PART IS SYMMETRIC ABOUT CENTRE-LINES (())

SHOP COPY NGINEERING ED COPY

VIEW A-A







-	DESIG	4	ORAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CANA	
	CHEC	KED	APPROVED	DRAWING NO.	REV. C
		P	KE	D2735	SHEET 1 OF 2
	DATE			TITLE	\$CALF.
	98.1	12.14		LUG BRACKET	2:3
	Α		97.12.14	NEW ISSUE	

RELEASED PRINTED BY

98.	12.14	LUG BRACKET	2:0
Α	97.12.14	NEW ISSUE	
В	98.10.23	UPDATE MATERIAL (TSR A1114)	
С	98.12.14	REMOVE TOOLING HOLES (TSR A1040))





$\begin{array}{c} \underline{\text{D2735-1}} \ \ \text{FLAT} \ \ \text{PATTERN} \\ \text{SYMMETRIC ABOUT BOTH CENTRE-LINES ($\frac{C}{2}$)} \end{array}$





DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONT	
CHECKED	APPROVED #E	DRAWING NO. D2735	REV. C SHEET 2 OF 2
DATE	1 1	TITLE	SCALE
98.12.14		LUG BRACKET	2:3





D2735-1 AND D2735-3 BEND DETAIL D2735-1 AND D2735-3 SHOULD BE BENT TO WITHIN 0.010 OF THE OUTSIDE PROFILE OF THE D2500-1 EXTRUSION IN THE AREAS INDICATED 'X' ABOVE.

GENERAL NOTES

ASTM A36/A366/A569/A570 OR AISI 1010-1025 STEEL MATERIAL:

0.125 THICK (11 GAUGE)

MIN. ULTIMATE TENSILE STRENGTH = 42 ksi

MIN. YIELD TENSILE STRENGTH = 28 ksi

SHOP COPY RETURN TO

ENGINEERING

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTEDNITROLLED COPY ALL DIMENSIONS ARE IN INCHES SUBJECT TO AMENDMENT ALL DIMENSIONS ARE IN INCHES WITHOUT NOTICE